
7 REFERENCES

- ACC, 2010. Technical comments on the derivation of cancer and noncancer toxicity criteria in EPA's reanalysis of key issues related to dioxin toxicity and response to NAS comments. Chlorine Chemistry Division of the American Chemistry Council. Comments to the EPA Science Advisory Board Dioxin Review Panel. July 9.
- AECOM, 2012. Summary of cooking loss studies and data evaluation. Technical Memorandum submitted to U.S. Environmental Protection Agency, Region 2 on behalf of the Cooperating Parties' Group (CPG), Remedial Investigation/Feasibility Study, Lower Passaic River Study Area, Diamond Alkali Superfund Site, CERCLA Docket No. 02-2007-2009. July 5. 25 pp.
- Alcoa, 1998. Draft Report for the Finfish/Shellfish Consumption Study, Alcoa (Point Comfort)/Lavaca Bay Superfund Site, Volume B7:Bay System Investigation Phase 2. Aluminum Company of America (ALCOA). January.
- Anchor QEA and Integral, 2010. Final Remedial Investigation/Feasibility Study Work Plan, San Jacinto Waste Pits Superfund Site. Prepared for McGinnes Industrial Maintenance Corporation, International Paper Company, and U.S. Environmental Protection Agency, Region 6. Anchor QEA, LLC, Ocean Springs, MS, and Integral Consulting Inc., Seattle, WA. November 2010.
- ATSDR, 2007. Toxicological Profile for Arsenic. U.S. Department of Health and Human Services, Public Health Service. Agency for Toxic Substances and Disease Registry. September. Available at <http://www.atsdr.cdc.gov/toxpro2.html>.
- Baccarelli, A., S.M. Giacomini, C. Corbetta, M.T. Landi, M. Bonzini, D. Consonni, P. Grillo, D.G. Patterson, Jr., A.C. Pesatori, and P.A. Bertazzi, 2008. Neonatal thyroid function in Seveso 25 years after maternal exposure to dioxin. *PLoS Med* 5:e161. 44

- Beauchamp, R., 2010. Personal communication (telephone conversation with P.N. Tomlinson, Integral Consulting Inc., Seattle, WA, on January 12, 2010, regarding observed recreational activities in vicinity of USEPA's Preliminary Site Perimeter). Texas Department of State Health Services, Austin, TX.
- Bergstrom, C., J. Shirai, and J. Kissel, 2011. Particle Size Distributions, Size Concentration Relationships, and Adherence to Hands of Selected Geologic Media Derived From Mining, Smelting, and Quarrying Activities. *Sci. Total Environ.* 409(2011): 4247–4256.
- Birnbaum, L.S., 1994. The Mechanism of Dioxin Toxicity: Relationship to Risk Assessment. *Environ Health Perspect* 102(Suppl 9):157-167.
- Bukowski, J., L. Korn, and D. Wartenberg, 1995. Correlated Inputs in Quantitative Risk Assessment: The Effects of Distributional Shape. *Risk Anal.* 15(2):215–219.
- Burmaster, D.E., 1997. LogNormal Distributions for Skin Area as a Function of Body Weight. Risk Analysis, 97-HE-015. June 14, 1997.
- Burmaster, D.E., 1998. LogNormal distributions for Skin Area as a Function of Body Weight. Risk Analysis, 97-HE-015. Originally found in *Alceon*, 14 June 1997.
- CalEPA, 1986. Technical Support Document. Report on Chlorinated Dioxins and Dibenzofurans. Part B - Health Effects of Chlorinated Dioxins and Dibenzofurans. California Environmental Protection Agency. Available online at: <http://www.arb.ca.gov/toxics/id/summary/dioxptB.pdf>
- CalEPA, 2011. Air Toxics Hot Spots Program Risk Assessment Guidelines, Technical Support Document for Exposure Assessment and Stochastic Analysis, Public Review Draft. California Environmental Protection Agency, Office of Environmental Health Hazard Assessment, November.
- Carlson, E.A., C. McCulloch, A. Koganti, S.B. Goodwin, T.R. Sutter, and J.B. Silkworth, 2009. Divergent transcriptomic responses to aryl hydrocarbon receptor agonists between rat and human primary hepatocytes. *Toxicological Sciences* 112(1):257-272.
- Connor, K.T., and L.L. Aylward, 2006. Human response to dioxin: Aryl hydrocarbon receptor (AHR) molecular structure, function and dose-response data for enzyme induction indicate an impaired human AHR. *J. Toxicol Environ Health Part B* 9:147-171.

- DeRosa, C.T., D. Brown, R. Dhara, W. Garrett, H. Hansen, J. Holler, D. Jones, D. Jordan-Izaguirre, R. O'Conner, H. Pohl, C. Xintaras, 1999. Dioxin and dioxin-like compounds in soil, Part I: ATSDR policy guideline and Part II: Technical support document for ATSDR policy guideline. *Toxicol Ind. Health* 15(6):552–576.
- Duff, R.M. and J.C. Kissel, 1996. Effect of soil loading on dermal absorption efficiency from contaminated soils. *J. Toxicol. Environ. Health* 48:93–106.
- Ebert, E.S., H.W. Harrington, K. Boyle, J. Knight, and R. Keenan, 1993. Estimating consumption of freshwater fish among Maine anglers. *North American Journal of Fisheries Management* 13:737–745.
- Ema, M., N. Ohe, M. Suzuki, J. Mimura, K. Sogawa, S. Ikawa, and Y. Fujii-Kuriyama, 1994. Dioxin binding activities of polymorphic forms of mouse and human aryl hydrocarbon receptors. *J. Biol. Chem.* 269:27337–27343.
- ENSR and EHA, 1995. Houston Ship Channel Toxicity Study. Prepared for the City of Houston, Houston, TX. ENSR Consulting and Engineering, Houston, TX and Espey, Huston and Associates, Austin, TX.
- FDA, 1993. Report of the quantitative risk assessment committee. Subject: FAP OT4192, Update: Upper bound lifetime carcinogenic risks from exposure to dioxin congeners from foods contacting bleached paper products with dioxin levels not exceeding 2 ppt. U.S. Food and Drug Administration. January 27.
- FDA, 1994. Polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans in bleached food-contact paper products; response to referral for action by the Environmental Protection Agency and Request for Comment. Federal Register 59(70):17384–7389. U.S. Food and Drug Administration. April 12.
- FDA, 2013. Questions and Answers About Dioxins and Food Safety. Available online at: <http://www.fda.gov/Food/FoodborneIllnessContaminants/ChemicalContaminants/DioxinsPCBs/ucm077524.htm>. U.S. Food and Drug Administration.
- Foster, W.G., S. Maharaj-Briceno, and D.G. Cyr, 2010. Dioxin-induced changes in epididymal sperm count and spermatogenesis. *Environ Health Perspect.* 118:458–464.
- Gentry, B., E. Wainwright, and D. Blankinship, 2005. Crystal Ball® 7.1 user manual. Decisioneering, Inc., Denver, CO. 357 pp.

- Grieb, T., G. Bowie, C. Driscoll, S. Gloss, C Schofield, and D. Porcella, 1990. Factors Affecting Mercury Accumulation in Fish in the Upper Michigan Peninsula. *Environ. Toxicol. Chem.* 9(7):919-930.
- Haney, J., 2010. Regulatory implications of USEPA's draft oral slope factor and reference dose for dioxin and the paradox of USEPA's surface soil draft interim preliminary remediation goal target risk/hazard levels for dioxin versus dioxin risk/hazard from typical dietary exposure and breast milk intake. Texas Commission on Environmental Quality (TCEQ) Comments to the Science Advisory Board (SAB) Dioxin Review Panel for the October 27-29, 2010 Public Meeting, Washington, DC.
- Harper, N., K. Connor, M. Steinberg, and S. Safe, 1995. Immunosuppressive activity of polychlorinated biphenyl mixtures and congeners: nonadditive (antagonistic) interactions. *Fundamental and Applied Toxicology* 27:131-139.
- Haws, L.C., S.H. Su, M. Harris, J. DeVito, N.J. Walker, W.H. Farland, B. Finley, and L.S. Birnbaum, 2006. Development of a refined database of mammalian relative potency estimates for dioxin-like compounds. *Toxicol. Sci.* 89(1):4-30.
- Helsel, D.R., 2005. *Nondetects and data analysis: statistics for censored environmental data*. John Wiley & Sons, Inc., Hoboken, NJ. 268 pp.
- Integral, 2010a. Sampling and Analysis Plan (SAP): Soil Study, San Jacinto River Waste Pits Superfund Site. Prepared for McGinnes Industrial Maintenance Corporation, International Paper Company, and U.S. Environmental Protection Agency, Region 6. Integral Consulting Inc., Seattle, WA.
- Integral, 2010b. Sampling and Analysis Plan: Tissue Study, San Jacinto River Waste Pits Superfund Site. Prepared for McGinnes Industrial Maintenance Corporation, International Paper Company, and U.S. Environmental Protection Agency, Region 6. Integral Consulting Inc., Seattle, WA.
- Integral, 2010c. Technical Memorandum on Bioaccumulation Modeling, San Jacinto River Waste Pits Superfund Site. Prepared for McGinnes Industrial Maintenance Corporation, International Paper Company, and U.S. Environmental Protection Agency, Region 6. Integral Consulting Inc., Seattle, WA. September 2010.

- Integral, 2011a. COPC Technical Memorandum, San Jacinto River Waste Pits Superfund Site. Prepared for McGinnes Industrial Maintenance Corporation, International Paper Company, and U.S. Environmental Protection Agency, Region 6. Integral Consulting Inc., Seattle, WA. May 2011.
- Integral, 2011b. Draft Addendum 3 to the Soil Sampling and Analysis Plan (SAP) for additional Soil Sampling South of Interstate Highway 10 (I-10), San Jacinto River Waste Pits Superfund Site. Prepared for McGinnes Industrial Maintenance Corporation, International Paper Company, and U.S. Environmental Protection Agency, Region 6. Integral Consulting Inc., Seattle, WA. December, 2011.
- Integral, 2011c. Soil Sampling and Analysis Plan, San Jacinto River Waste Pits Superfund Site. Prepared for McGinnes Industrial Maintenance Corporation, International Paper Company, and U.S. Environmental Protection Agency, Region 6. Anchor QEA, LLC, Ocean Springs, MS, and Integral Consulting Inc., Seattle, WA. January 2011.
- Integral, 2012a. Exposure Assessment Memorandum, San Jacinto River Waste Pits Superfund Site. Prepared for McGinnes Industrial Maintenance Corporation, International Paper Company, and U.S. Environmental Protection Agency, Region 6. Integral Consulting Inc., Seattle, WA. May.
- Integral, 2012b. Toxicological and Epidemiological Studies Memorandum, San Jacinto River Waste Pits Superfund Site. Prepared for McGinnes Industrial Maintenance Corporation, International Paper Company, and U.S. Environmental Protection Agency, Region 6. Integral Consulting Inc., Seattle, WA. May.
- Integral and Anchor QEA, 2010. Sampling and Analysis Plan: Sediment Study San Jacinto River Waste Pits Superfund Site. Prepared for McGinnes Industrial Maintenance Corporation, International Paper Company, and U.S. Environmental Protection Agency, Region 6. Anchor QEA, LLC, Ocean Springs, MS, and Integral Consulting Inc., Seattle, WA. April 2010.
- Integral and Anchor QEA, 2012a. Draft Remedial Investigation Report, San Jacinto River Waste Pits Superfund Site. Prepared for McGinnes Industrial Maintenance Corporation, International Paper Company, and U.S. Environmental Protection Agency, Region 6. Anchor QEA, LLC, Ocean Springs, MS, and Integral Consulting Inc., Seattle, WA. November 2012.

- Integral and Anchor QEA, 2012b. Preliminary Site Characterization Report, San Jacinto River Waste Pits Superfund Site. Prepared for McGinnes Industrial Maintenance Corporation, International Paper Company, and U.S. Environmental Protection Agency, Region 6. Anchor QEA, LLC, Ocean Springs, MS, and Integral Consulting Inc., Seattle, WA. February, 2012.
- ITRC. 2011. Incorporating Bioavailability Considerations into the Evaluation of Contaminated Sediments. Interstate and Technology Regulatory Council.
- JECFA, 2002. Polychlorinated dibenzodioxins, polychlorinated dibenzofurans, and coplanar polychlorinated biphenyls. WHO Food Additives Series 48. Available online at: <http://www.inchem.org/documents/jecfa/jecmono/v48je20.htm>. Joint FAO/WHO Expert Committee on Food Additives.
- Johnson, G., R. Ehrlich, W. Full, and S. Ramos, 2007. Principal component analysis and receptor models in environmental forensics. pp. 207–261. In: *Introduction to environmental forensics*. Second Edition. Brian Murphy, Robert D. Morrison (eds.). Academic Press.
- Keenan, R.E., D.J. Paustenbach, R.J. Wenning, and A.H. Parsons, 1991. A pathology re-evaluation of the Kociba et al. (1978) bioassay of 2,3,7,8-TCDD: implications for risk assessment. *J. Toxicol. Environ. Health* 34:279-296.
- Kociba, R.J., D.G. Keyes, J.E. Beyer, R.M. Carreon, C.E. Wade, D.A. Dittenber, R.P. Kalnins, L.E. Frauson, C.N. Park, S.D. Barnard, R.A. Hummel, and C.G. Humiston, 1978. Results of a two-year chronic toxicity and oncogenicity study of 2,3,7,8-tetrachlorodibenzo-p-dioxin in rats. *Toxicol. Appl. Pharmacol.* 46:279-303.
- Koenig, L., 2010. Personal Communication (telephone conversation with D. Rudnick, Integral Consulting Inc., Seattle, WA, on March 12, 2010, regarding sediment PCB data for San Jacinto). Texas Commission on Environmental Quality.
- Lange, T., H. Royals, and L. Connor, 1993. Influence of water chemistry on mercury concentration in largemouth bass from Florida lakes. *Trans. Am. Fish. Soc.* 122(1):74-84.

- MacFarland, V.A. and J.U. Clarke, 1989. Environmental occurrence, abundance, and potential toxicity of polychlorinated biphenyl congeners: considerations for a congener-specific analysis. *Environmental Health Perspectives* 81:225-239.
- Massachusetts Department of Environmental Protection, 1995. Calculation of an enhanced soil ingestion rate. Technical update. Massachusetts Department of Environmental Protection, Boston, MA. 3 pp.
- Mocarelli, P., P.M. Gerthoux, D.G. Patterson, Jr., S. Milani, G. Limonta, M. Bertona, S. Signorini, P. Tramacere, L. Colombo, C. Crespi, P. Brambilla, C. Sarto, V. Carreri, E. Sampson, W.E. Turner, and L. Needham, 2008. Dioxin exposure, from infancy through puberty, produces endocrine disruption and affects human semen quality. *Environmental Health Perspectives* 116:70-77.
- NAS, 2006. Health Risks from Dioxin and Related Compounds: Evaluation of the EPA Reassessment. National Academy of Sciences, Committee on EPA's Exposure and Human Health Reassessment of TCDD and Related Compounds, National Research Council. Washington, DC.
- Newman, J.W., J.S. Becker, G. Glondina, and R.S. Tjeerdema, 1998. Quantitation of Aroclors Using Congener-Specific Results. *Environ. Tox. Chem.* 17(11): 2159-2167.
- NOAA, 2008. Mean number of days with precipitation .01 inch or more. National Oceanic and Atmospheric Administration.
- NRC, 2006. Health Risks from Dioxin and Related Compounds: Evaluation of the EPA Reassessment. National Research Council. Available online at: http://www.nap.edu/catalog.php?record_id=11688. Accessed January 23, 2008.
- NTP, 1982. Carcinogenesis Bioassay of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (CAS No. 1746-01-6) in Osborne-Mendel rats and B6C3F1 mice (Gavage Study). Technical Report Series, Issue 209:195. National Toxicology Program.
- NTP, 2006. NTP Technical Report on the Toxicology and Carcinogenesis Studies of 2,3,7,8-Tetrachlorodibenzo-*p*-Dioxin (TCDD) in Female Harlan Sprague-Dawley rats. NTP TR 521. National Toxicology Program.

- OEHHA, 2007. Adoption of the Revised Air Toxics Hot Spots Program Technical Support Document for Cancer Potency Factors (06/01/09). California Office of Environmental Health and Hazard Assessment (OEHHA).
http://www.oehha.ca.gov/air/hot_spots/tsd052909.html
- Pandelova, M., B. Henkelmann, O. Roots, M. Simm, L. Järv, E. Benefenati, and K.-W. Schramm, 2008. Levels of PCDD/F and Dioxin-like PCB in Baltic Fish of Different Age and Gender. *Chemosphere* 71:369-378.
- Pohl, H.R., H.E. Hicks, D.E. Jones, H. Hansen, and C.T. De Rosa, 2002. Public health perspectives on dioxin risks: Two decades of evaluations. *HERA*. 8:233-250.
- Poland, A., D. Palen, and E. Glover, 1994. Analysis of the four alleles of the murine aryl hydrocarbon receptor. *Mol. Pharmacol.* 46(5):915-921.
- Portier, K., J.K. Tolson, and S.M. Roberts, 2007. Body Weight Distributions for Risk Assessment. *Risk Analysis* 27(1):11-26.
- Ramadoss, P., and G.H. Perdew, 2004. Use of 2-azido-3-[125I]iodo-7,8-dibromodibenzo-pdioxin as a probe to determine the relative ligand affinity of human versus mouse aryl hydrocarbon receptor in cultured cells. *Mol. Pharmacol.* 66(1):129-136.
- Roberts, E.A., K.C. Johnson, P.A. Harper, and A.B. Okey, 1990. Characterization of the Ah receptor mediating aryl hydrocarbon hydroxylase induction in the human liver cell line Hep G2. *Arch. Biochem. Biophys.* 276(2):442-450.
- Roberts, S.M., J.W. Munson, Y.W. Lowney, and M.V. Ruby, 2007. Relative oral bioavailability of arsenic from contaminated soils measured in the cynomolgus monkey. *Toxicol. Sciences* 95(1): 281-288.
- Roots, O., and V. Zitko, 2006. The Effect of Age on the Concentration of Polychlorinated Dibenzo-p-Dioxins, Dibenzofurans and Bioxin-like Polychlorinated Biphenyls in Baltic Herring and Sprat. *Fresenius Environ. Bull.* 15(3):207-219.
- Roy, T.A., K. Hammerstrom, and J. Schaum, 2008. Percutaneous Absorption of 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (TCDD) from soil. *J. of Tox. Env. Health. Part A.* 71 (23):1509-1515.

- SAB, 2011. SAB Review of EPA's Reanalysis of Key Issues Related to Dioxin Toxicity and Response to NAS Comments (May 2010). U.S. Environmental Protection Agency, Science Advisory Board. SAB-011-014. August.
- Safe, S., 1990. Polychlorinated biphenyls (PCBs), dibenzo-*p*-dioxins (PCDDs), dibenzofurans (PCDFs), and related compounds: Environmental and mechanistic considerations which support the development of toxic equivalency factors (TEFs). *Crit. Rev. Toxicol.* 21(1):51-88.
- Shoaf, M.B., J.H. Shirai, G. Kedan, J. Schaum, J.C. Kissel, 2005. Child dermal sediment loads following play in a tide flat. *Journal of Exposure Analysis and Environmental Epidemiology* 15(5):407-412.
- Shu, H., P. Teitelbaum, A.S. Webb, L. Marple, B. Brunck, D. Dei Rossi, F.J. Murray, and D. Paustenbach, 1988. Bioavailability of Soil-Bound TCDD: Dermal Bioavailability in the Rat. *Fund. App. Toxicol.* 10:335-343.
- Silkworth, J.B., A. Koganti, K. Illouz, A. Possolo, M. Zhao, and S.B. Hamilton, 2005. Comparison of TCDD and PCB CYP1 induction sensitivities in fresh hepatocytes from human donors, Sprague-Dawley rats, and rhesus monkeys and HepG2 cells. *Toxicol. Sci.* 87(2):508-519.
- Simon, T., L.L. Aylward, C.R. Kirman, J.C. Rowlands, and R.A. Budinsky, 2009. Estimates of cancer potency of 2,3,7,8-tetrachlorodibenzo(p)dioxin using linear and nonlinear dose-response modeling and toxicokinetics. *Toxicological Sciences* 112(2):490-506.
- Singh, A., R. Maichle, and S.E. Lee, 2006. On the Computation of a 95% Upper Confidence Limit of the Unknown Population Mean Based Upon Data Sets with Below Detection Limit Observations. EPA/600/R-06/022. Lockheed Martin Environmental Services, Contract No. 68-W-04-005. Task Order No. 09. Las Vegas, NV.
- Smith, A.E., P.B. Ryan, J.S. Evans, 1992. The effect of neglecting correlations when propagating uncertainty and estimating the population distribution of risk. *Risk Anal.* 12(4): 467-474.
- Spalt, E.W., J.C. Kissel, J.H. Shirai, and A.L. Bunge, 2009. Dermal absorption of environmental contaminants from soil and sediment: a critical review. *J. Exp. Sci. Environ. Epid.* 19:119-148.

- Stanek, E.J., E.J. Calabrese, R. Barnes, and P. Pekow, 1997. Soil ingestion in adults – results of a second pilot study. *Ecotoxicol. Environ. Saf.* 36: 249-257
- Stanek, E.J., E.J. Calabrese, and R. Barns, 1999. Soil ingestion estimates for children in Anaconda using trace element concentrations in different particle size fractions. *Hum. Ecol. Risk Assess* 5(3):547-558.
- Stanek, E.J., E.J. Calabrese, and M. Zorn, 2001. Biasing factors for simple soil ingestion estimates in mass balance studies of soil ingestion. *Human and Ecological Risk Assessment*. 7(2):329-325.
- Starr, T.B., T.R. Zacharewski, T.R. Sutter, S.H. Safe, W.F. Greenlee, and R.B. Connolly, 1997. Concerns with the use of a toxicity equivalence factor (TEF) approach for risk assessment of “dioxin-like” compounds. *Organohalogen Compounds* 34:91-94.
- TCEQ, 2009. Toxicity factors and chemical/physical parameters. TCEQ Regulatory Guidance. Texas Commission on Environmental Quality, Remediation Division. RG-366/TRRP-19. March.
- TCEQ, 2010a. Comments Regarding the U.S. Environmental Protection Agency “Draft EPA’s Reanalysis of Key Issues Related to Dioxin Toxicity and Response to NAS Comments.” Notice of Public Comment Period 75 FR 28610, May 21, 2010. Docket ID No. EPA-HQ-IRD-2010-0395.
- TCEQ, 2010b. Texas Commission on Environmental Quality Comments Regarding the U.S. Environmental Protection Agency Draft Recommended Interim Preliminary Remediation Goals for Dioxin in Soil at CERCLA and RCRA Sites, Notice of Availability and Announcement of Public Comment Period, 75 FR 0984, January 7, 2010, Docket ID No. EPA-HQ-SFUND-2009-0907. Submitted on February 26, 2010.
- TCEQ, 2011. Guidelines to Develop Inhalation and Oral Cancer and Non-cancer Toxicity Factors. Peer Review Draft. June 7. Available at: www.tera.org/peer/tceqesl. Texas Commission on Environmental Quality, Austin, TX.
- TCEQ and USEPA, 2006. Screening Site Assessment Report San Jacinto River Waste Pits, Channelview, Harris County, Texas. TXN000606611. Texas Commission on Environmental Quality and U.S. Environmental Protection Agency.

- TDSHS, 2007. Standard Operating Procedures and Quality Control/Assurance Manual. Texas Department of State Health Services, Seafood and Aquatic Life Group, Austin, TX. February 2007.
- TDSHS, 2008. Characterization of Potential Adverse Health Effects Associated with Consuming Fish or Blue Crab from Trinity Bay and Upper Galveston Bay. Chambers, Galveston, and Harris Counties, Texas. Texas Department of State Health Services, Seafood and Aquatic Life Group, Policy, Standards, and Quality Assurance Unit and Regulatory Services Division. April 2008
- TDSHS, 2010. Texas Fish Tissue Data. Collection of Excel files sent to Jennifer Sampson (Integral) from Michael Tennant (TDSHS) on 1/20/2010 containing tables of fish tissue chemical data collected over several decades from the Galveston Bay area. Texas Department of State Health Services.
- TDSHS, 2012. Public Health Assessment, Final Release. San Jacinto River Waste Pits, Channelview, Harris County, Texas. Prepared for U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry, Division of Health Assessment and Consultation, Atlanta, GA.
- Toyoshiba, H., N.J. Walker, A.J. Bailer, and C.J. Portier, 2004. Evaluation of toxic equivalency factors for induction of cytochromes P450 CYP1A1 and CYP1A2 enzyme activity by dioxin-like compounds. *Toxicol. Appl. Pharmacol.* 194:156–168.
- University of Houston and Parsons, 2006. Total Maximum Daily Loads for Dioxins in the Houston Ship Channel. Contract No. 582-6-70860, Work Order No. 582-6-70860-02. Quarterly report No. 3. Prepared in cooperation with the Texas Commission on Environmental Quality and the U.S. Environmental Protection Agency. University of Houston and Parsons Water & Infrastructure. Available online at: <http://www.tceq.state.tx.us/assets/public/implementation/water/tmdl/26hscdioxin/26-all-data-compiled-q3-fy06.pdf>.
- University of Houston and Parsons, 2009. Total Maximum Daily Loads for PCBs in the Houston Ship Channel. Contract No. 582-6-60860. Work Order No. 528-6-60860-19. Draft Final Report. Prepared in cooperation with the Texas Commission on Environmental Quality and the U.S. Environmental Protection Agency. University of Houston and Parsons Water & Infrastructure.

- URS, 2010. Data Usability Summary. Surface Water and Sediment Samples. San Jacinto River Waste Pits Superfund Site, Channelview, Harris County, Texas. Prepared for Texas Commission on Environmental Quality, Austin, Texas. Project No: 25335373. URS Corporation, Houston, TX.
- USCB, 2012. American Fact Finder. Available online at:
<http://factfinder2.census.gov/faces/nav/jsf/pages/index.xhtml> U.S. Census Bureau, Washington, DC.
- USEPA, 1985. Health Assessment Document for Polychlorinated Dibenzo-*p*-Dioxins. U.S. Environmental Protection Agency.
- USEPA, 1988. Guidance for Conducting Remedial Investigations and Feasibility Studies under CERCLA. U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Washington, DC.
- USEPA, 1989. Risk Assessment Guidance for Superfund (RAGS): Volume 1 – Human Health Evaluation Manual (Part A), Interim Final. U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Washington, DC.
- USEPA, 1990. National contingency plan. 55 Fed. Reg. 8665-8865 (Mar. 8, 1990). U.S. Environmental Protection Agency, Washington, DC.
- USEPA, 1991a. Risk Assessment Guidance for Superfund (RAGS): Volume 1 – Human Health Evaluation Manual (Part B, Development of Risk-Based Preliminary Remediation Goals), Interim. U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Washington, DC. EPA/540/R-92/003.
- USEPA, 1991b. Risk Assessment Guidance for Superfund: Volume 1 - Human Health Evaluation Manual (Part C, Risk Evaluation of Remedial Alternatives). Interim. Publication 9285.7-01C. U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Washington, DC. October.
- USEPA, 1991c. Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual, Supplemental Guidance, "Standard Default Exposure Factors" Interim Final. PB91-921314. OSWER Directive: 9285.6-03. U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Toxics Integration Branch, Washington, DC.

- USEPA, 1993. Superfund's Standard Default Exposure Factors for the Central Tendency and Reasonable Maximum Exposure. EPA/600-D-93-901. U.S. Environmental Protection Agency. November 4.
- USEPA, 1996. Soil Screening Guidance: User's Guide. Publ. No. 9355.4-23. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC. July. USEPA 2011A. Exposure Factors Handbook 2011 Edition. EPA/600-R-09/052F. U.S. Environmental Protection Agency, National Center for Environmental Assessment, Office of Research and Development, Washington, DC. September.
- USEPA, 1997a. Exposure Factors Handbook - Volume 1. General Factors. U.S. Environmental Protection Agency, National Center for Environmental Assessment, Office of Research and Development, Washington, DC; Versar Inc., Exposure Assessment Division (Springfield, VA). EPA/600/P-95/002Fa. August.
- USEPA, 1997b. Health Effects Assessment Summary Tables. FY 1997 Update. 9200.6-303 (97-1). EPA-540-R-97-036. PB97-921199. U.S. Environmental Protection Agency, Office of Research and Development, Office of Emergency and Remedial Response, Washington, DC. July.
- USEPA, 1998. Guidelines for ecological risk assessment. EPA/630/R095/002F. U.S. Environmental Protection Agency, Risk Assessment Forum, Washington, DC. 188 pp
- USEPA, 2000a. Draft Exposure and Human Health Reassessment of 2,3,7,8-Tetrachlorodibenzo-p-Dioxin (TCDD) and Related compounds. National Center for Environmental Assessment, U.S. Environmental Protection Agency, Washington, DC. Accessed at <http://cfpub1.epa.gov/ncea/cfm/part1and2.cfm?ActType=default>.
- USEPA, 2000b. Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories. Volume 2. Risk Assessment and Fish Consumption Limits. Third edition. EPA 823-B-00-008. Appendix C-1. U.S. Environmental Protection Agency, Office of Water. Washington, DC.
- USEPA, 2001. Risk Assessment Guidance for Superfund (RAGS): Volume III—Part A: Process for Conducting Probabilistic Risk Assessment. EPA-540-R-02-002. U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Washington, DC.

- USEPA, 2002a. Calculating Upper Confidence Limits for Exposure Point Concentrations at Hazardous Waste Sites. 9285.6-10. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC.
- USEPA, 2002b. Estimated Per Capita Fish Consumption in the United States. EPA/821/C-02/003. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- USEPA, 2002c. Supplemental Guidance for Developing Soil Screening Levels for Superfund Sites. OSWER 9355.4-24. U.S. Environmental Protection Agency, Solid Waste and Emergency Response, Washington, DC.
- USEPA, 2003a. Human Health Toxicity Values in Superfund Risk Assessments. OSWER Directive 9285.7-53. Available online at:
<http://www.epa.gov/oswer/riskassessment/pdf/hhmemo.pdf>. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC.
- USEPA, 2003b. Technical Summary of Information Available on the Bioaccumulation of Arsenic in Aquatic Organisms. EPA822R03032. Available online at:
<http://www.epa.gov/waterscience/criteria/arsenic/tech-sum-bioacc.pdf>. U.S. Environmental Protection Agency, Washington, DC.
- USEPA, 2004. Risk Assessment Guidance for Superfund Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment). U.S. Environmental Protection Agency, Office of Superfund Remedial and Technology Innovation, Washington, DC.
- USEPA, 2005. Guidelines for Carcinogen Risk Assessment. EPA/630/P-03/001F. Risk assessment forum, U.S. Environmental Protection Agency.
- USEPA, 2008. Framework for Application of the Toxicity Equivalence Methodology for Polychlorinated Dioxins, Furans, and Biphenyls in Ecological Risk Assessment. EPA 10/R-0 /00-200. USEPA, 2008b. Child-Specific Exposure Factors Handbook. EPA/600/R-06/096F. National Center for Environmental Assessment, Office of Research and Development, Washington, DC, September.
- USEPA, 2009a. The National Study of Chemical Residues in Lake Fish Tissue. EPA-823-R-09-006. U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology. September.

- USEPA, 2009b. Public Review Draft. Draft Recommended Interim Preliminary Remediation Goals for Dioxin in Soil at CERCLA and RCRA Sites. OSWER 9200.3-56. U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation, Washington, DC. December 30.
- USEPA, 2009c. Unilateral Administrative Order for Remedial Investigation/Feasibility Study. U.S. EPA Region 6 CERCLA Docket No. 06-03-10. In the matter of: San Jacinto River Waste Pits Superfund Site Pasadena, Texas. International Paper Company, Inc. & McGinnes Industrial Management Corporation, respondents.
- USEPA, 2010a. Decision Document for the Time Critical Removal Action at the San Jacinto River Waste Pits Site, Harris County, Texas. USEPA Region 6. July 28, 2010.
- USEPA, 2010b. Draft EPA's Reanalysis of Key Issues Related to Dioxin Toxicity and Response to NAS Comments. EPA/600/R-10-038A. Available at www.epa.gov/iris. U.S. Environmental Protection Agency, Office of Research and Development, Cincinnati, OH.
- USEPA, 2010c. Guidance for Implementing the January 2001 Methylmercury Water Quality Criterion. Final. EPA-823-R-10-001. U.S. Environmental Protection Agency, Office of Science and Technology, Washington, DC. April 2010.
- USEPA, 2010d. Final Report, Bioavailability of Dioxins and Dioxin-Like Compounds in Soil; prepared for U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation, Environmental Response Team – West, Las Vegas, NV. Prepared by SRC, Inc., Chemical, Biological and Environmental Center, N. Syracuse, NY.
- USEPA, 2010e. Recommended Toxicity Equivalence Factors (TEFs) for Human Health Risk Assessments of 2,3,7,8-Tetrachlorodibenzo-*p*-Dioxins and Dioxin-Like Compounds. EPA/100/R-10/005. U.S. Environmental Protection Agency, Risk Assessment Forum. Washington, DC.
- USEPA, 2010f. Relative Bioavailability of Arsenic in Soils at 11 Hazardous Waste Sites Using an *In Vivo* Juvenile Swine Method. OSWER Directive #9200.0-76. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Bioavailability Subcommittee of the Technical Review Workgroup, Washington, DC. June 2010.

- USEPA, 2011a. Exposure Factors Handbook 2011 Edition. EPA/600-R-09/052F. U.S. Environmental Protection Agency, National Center for Environmental Assessment, Office of Research and Development, Washington, DC. September.
- USEPA, 2011b. EPA Splits Dioxin Risk Estimate after Divided Review from Science Advisors. Inside EPA, U.S. Environmental Protection Agency. September 2. Available at INSIDEEPA.com Baccarelli et al 2008 - Baccarelli, A., S.M. Giacomini, C. Corbetta, M.T. Landi, M. Bonzini, D. Consonni, P. Grillo, D.G. Patterson, Jr., A.C. Pesatori, and P.A. Bertazzi, 2008. Neonatal thyroid function in Seveso 25 years after maternal exposure to dioxin. *PLoS Med* 5:e161. 44
- USEPA, 2012a. Bioavailability. U.S. Environmental Agency, Region 8. Available at: http://www.epa.gov/region8/r8risk/hh_rba.html#recs.
- USEPA, 2012b. Generic Tables. Available online at: http://www.epa.gov/reg3hwmd/risk/human/rb-concentration_table/Generic_Tables/index.htm. Last updated May 20, 2012. U.S. Environmental Protection Agency, Mid-Atlantic Risk Assessment.
- USEPA, 2012c. Integrated Risk Information System (IRIS). U.S. Environmental Protection Agency. Available online at: <http://www.epa.gov/ncea/iris/>
- USFWS, 1982. Life History Requirements of Selected Finfish and Shellfish in Mississippi Sound and Adjacent Areas. FWS/OBS-81/51. U.S. Fish and Wildlife Service, Office of Biological Services, Washington, DC. March.
- USFWS, 1983. Species Profiles: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (Gulf of Mexico), Sea Catfish and Gafftopsail Catfish. FWS/OBS-82/11.5. TR EL-82-4. U.S. Fish and Wildlife Service. October.
- USFWS, 2006. 2006 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation: Texas. FHW/06-TX. U.S. Fish and Wildlife Service. May.
- Vamvakas, A., J. Keller, and M. Dufresne, 1996. *In vitro* induction of CYP 11-associated activities in human and rodent cell lines by commercial and tissue-extracted halogenated aromatic hydrocarbons. *Environ. Toxicol. Chem.* 15(6):814-823.

- Van den Berg, M., L.S. Birnbaum, M. Denison, M. DeVito, W. Farland, M. Feeley, H. Fiedler, H. Hakansson, A. Hanberg, L. Haws, M. Rose, S. Safe, D. Schrenk, C. Tohyama, A. Tritscher, J. Tuomisto, M. Tysklind, N. Walker, R. E. Peterson, 2006. The 2005 World Health Organization Reevaluation of Human and Mammalian Toxic Equivalency Factors for Dioxins and Dioxin-Like Compounds. *Toxicol. Sci.* 93(2):223-241.
- Walker, N.J., P.W. Crockett, A. Nyska, A.E. Brix, M.P. Jokinen, D.M. Sells, J.R. Hailey, M. Easterling, J.K. Haseman, M. Yin, M.E. Wyde, J.R. Bucher, and C.J. Portier, 2005. Dose-additive carcinogenicity of a defined mixture of “dioxin-like compounds.” *Environ. Health Perspect.* 113(1):43-48.
- Wang, I-C, and W Lee, 2010. Polychlorinated dibenzo-p-dioxin, polychlorinated dibenzofurans and polychlorinated biphenyls in farmed fish, water, sediment, and feed. *J. Environ. Sci. Health. Part A: Toxic/Hazardous Subst Environ. Eng.* 45(2):201-210.
- WHO, 1991. Summary Report – Consultation on Tolerable Daily Intake from Food of PCDDs and PCDFs. World Health Organization, Bilthoven, the Netherlands. December 1990, EUR/ICP/PCS 030(S) 0369n, World Health Organization, Regional Office for Europe, Copenhagen.
- WHO, 1992. Tolerable daily intake of PCDDs and PCDFs. *Toxic Substances Journal* 12:101-128.
- WHO, 1998. Assessment of the health risk of dioxins: reevaluation of the tolerable daily intake (TDI). World Health Organization European Centre for Environment and Health, International Programme on Chemical Safety.
- Wilson, N.D., N.M. Shear, D.J. Paustenbach, and P.S. Price, 1998. The effect of cooking practices on the concentration of DDT and PCB compounds in the edible tissue of fish. *J. Expos. Anal. Epidemiol.* 8:423-440.
- Winward, 2007. Lower Duwamish Waterway Remedial Investigation. For submittal to U.S. Environmental Protection Agency, Seattle, WA and Washington State Department of Ecology, Bellevue, WA. November 12, 2007.

- Wiebel, F.J., M. Wegenke, and F. Kiefer, 1996. Bioassay for determining 2,3,7,8-tetrachlorodibenzo-pdioxin equivalents (TEs) in human hepatoma HepG2 cells. *Toxicol. Lett.* 88(1-3):335-338.
- Xu, L., A.P. Li, D.L. Kaminski, and M.F. Ruh, 2000. 2,3,7,8 Tetrachlorodibenzo-*p*-dioxin induction of cytochrome P4501 in cultured rat and human hepatocytes. *Chem. Biol. Interact.* 124(3):173-189.
- Yanez-Arancibia, A., and A. Lara-Dominguez, 1988. Ecology of three sea catfishes (*Ariidae*) in a tropical coastal ecosystem – Southern Gulf of Mexico. *Mar. Ecol. Prog. Ser.* 49:215-230.
- Zeiger, M., R. Haag, J. Hockel, D. Schrenk, and H.J. Schmitz, 2001. Inducing effects of dioxin-like polychlorinated biphenyls on CYP1 in the human hepatoblastoma cell line HepG2, the rat hepatoma cell line H4IIE, and rat primary hepatocytes: Comparison of relative potencies. *Toxicol. Sci.* 63(1):65-73.